



VEHICLE OVERVIEW

MARTIN JOSE DEL CASTILLO S.
FEBRUARY 23, 2019

MT 440 MODEL IC

Stylish and extremely powerful.

The MT-440 is the latest generation of heavy-duty tow tractors. Behind its stylish, compact design is a highly efficient hydrostatic powertrain, plenty of power to haul 30,000-lb. loads over long distances. Features like tight turning radius and shock-dampening suspension deliver exceptional maneuverability, stability and comfort. This highly robust, low-maintenance two-seater is built to last—from bolt-on bumper to bumper.



Tow Tractors

Other Models : 48V Narrow, 48V, 80V



 PASSENGERS
2

 LOAD CAPACITY
600 lbs


 TOWING CAPACITY
30,000 lbs


 SPEED MPH
10 mph

 TURNING RADIUS
90"

FEATURES

- Built-to-last all-steel unibody construction
- Heavy-duty powder paint & protection
- Smooth-ride wheels in multiple models and options
- Reinforced bolt-on front bumper
- Versatile, heavy-duty hitches





Dimensions

VEHICLE

Height	46"	1,168 mm
Length	94.5"	2,400 mm
Width	45"	1,143 mm
Wheel Base	50"	1,270 mm
Ground Clearance	n/a	n/a

DECK

Height	n/a	n/a
Width	n/a	n/a
Length	n/a	n/a

UNIT WEIGHT

With Batteries	n/a	n/a
Without Batteries	n/a	n/a

BATTERIES

Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE

Passengers	2	
Load Capacity	600 lbs	272 kg
Tow Capacity	30,000 lbs	13,608 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	10 mph	16 km/h
Turning Radius	90"	2,286 mm

Vehicle shown may have optional accessories and is provided for illustrative purposes only.
Specifications and standard equipment are subject to change without notice.

Specifications

POWERTRAIN

Motor	n/a
Controller	n/a
Drive Axle	n/a
Brakes	4-wheel hydraulic brakes, 11"
Wheels	Solid Tires
Transmission	Hydrostatic transmission
Suspension	Front and rear leaf spring suspensions, dual shock absorbers on front
Starter	12-V positive engaging starter
Clutch	Automotive control
Engine	Kubota, 3-cylinder, water-cooled, 4-cycle gas engine

ENERGY

Voltage	n/a
Battery	n/a
Charger	n/a
Alternator	40 amp
Fuel	Unleaded gas

CHASSIS

Body	All-steel unibody construction
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT

Steering	Dual hydraulic rear wheel motors, Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Seat switch, neutral start switch, reverse alarm, low oil and high temperature automatic engine shut down
Safety	Horn, Fuel gauge, temperature gauge, hour meter
Accessories	Bolt-on Front Bumpers

Standards

n/a

POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Cabs & Top Covers

G448HD-041 Steel cab & doors, sound insulation, wiper, rearview mirror

Equipments

330-055F ABC fire extinguisher

Hitches

G448HD-056 1 3/8" Clevis type hitch with safety spring

G448HD-052 Hand release for clevis hitch (requires clevis hitch)

Safety Features

360-023 Motion beeper

360-026 Pole mounted strobe light

Seats

360-049 Seat belts, retractable, two passengers

Steering Systems

448HD-100 Tilt-telescopic steering column

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MT - 440 - IC options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Martin Jose Del Castillo S.
President

+52 662 210-7808 #104
mj.delcastillo@mmh.com.mx

Mex Material Handling
Los Mayos 13, Parque Industrial
Hermosillo (Sonora)
83299
Mexico



www.motrec.com