

MARTIN JOSE DEL CASTILLO S. MARCH 2, 2019




A high-capacity, zero-emission refuse hauler.

Solve your trash problems and improve maintenance productivity. This zero-noise, zero-emission refuse hauler makes a great choice for shopping malls, campuses, resorts and more. It holds an impressive 2 cubic yards of trash, reducing the number of return trips needed per shift. The 48V battery pack relies on a durable 48V hydraulic pump to efficiently equalize cells, thereby improving battery life and performance. Optional cab and roll-out battery compartment. A safe, rugged vehicle with unlimited configurations.



Custom Vehicles, Utility Vehicles Other Models : Ambulance, Maintenance Truck



Dimensions

Height 46" 1,168 m Length n/a n/a Width 44" 1,118 m Wheel Base 60" 1,524 m Ground Clearance n/a n/a	m
Width 44" 1,118 m Wheel Base 60" 1,524 m	
Wheel Base 60" 1,524 m	
	m
Ground Clearance n/a n/a	m
DECK	
Height 27" 686 mm	
Width 44" 1,118 m	m
Length 76" 1,930 m	m
UNIT WEIGHT	
With Batteries 1,650 lbs 748 kg	
Without Batteries n/a n/a	
BATTERIES	
Height n/a n/a	
Length n/a n/a	
Width n/a n/a	
Weight - Min n/a n/a	
Weight - Max n/a n/a	

Performances

Passengers	2	
Load Capacity	1,000 lbs	454 kg
Tow Capacity	6,000 lbs	2,722 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	10 mph	16 km/h
Turning Radius	120"	3,048 mm

Vehicle shown may have optional accessories and is provided for illustrative purposes only. Specifications and standard equipment are subject to change without notice.

Specifications

POWERTRAIN	
Motor	15 hp
Controller	Electronic speed controller
Drive Axle	Differential with automotive ring gear
Brakes	Rear hydraulic brakes, 11", regenerative braking
Wheels	5.7x8 LRC pneumatic tires
Transmission	Goodyear Eagle Synchronous drive
Suspension	Dual leaf springs on front and rear
Starter	n/a
Clutch	n/a
Engine	n/a
ENERGY	
Voltage	48 Volt
Battery	Eight 6V-220AH batteries
Charger	High frequency, built-in, automatic
Alternator	n/a
Fuel	n/a
CHASSIS	
Body	n/a
Color	Security orange or federal yellow
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT

Steering	Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Battery status indicator
Safety	Deadman seat switch, reverse alarm
Accessories	Horn, 48-volt pump to discharge cells equally to extend battery life

Standards

Conforms to requirements for type E, UL 583, ANSI B56.9



POPULAR OPTIONS

Batteries & Chargers	
480-028	48/12V converter for accessories. Equalize battery cells (included with AC package when applicable)
Body Options	
320-085	Dual rubber bumpers on rear
Cabs & Top Covers	
360-041	Steel cab and doors, wiper, rearview mirror
360-042	Steel cab only
Driver Area Options	
480-020	Digital battery gauge with hour meter (included with AC package when applicable)
Safety Features	
360-026	Pole mounted strobe light
Seats	
360-049	Seat belts, retractable, two passengers
Suspensions	
320-039	Dual shock absorbers on front
320-039R	Dual shock absorbers on rear
Wheels	
360-077	500 x 8 solid soft rubber wheels

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MX - 360 - Refuse Hauler options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Martin Jose Del Castillo S. President

+52 662 210-7808 #104 mj.delcastillo@mmh.com.mx **Mex Material Handling** Los Mayos 13, Parque Industrial Hermosillo (Sonora) 83299

Mexico

www.motrec.com