



VEHICLE OVERVIEW

MARTIN JOSE DEL CASTILLO S.

MARCH 2, 2019

MX 360 MODEL AMBULANCE

An efficient emergency vehicle that puts safety first.

Rescue people anywhere, quickly and safely. With its integrated nurse seat, hinged sides and first aid compartment, the MX-360 Ambulance makes a great turnkey solution. Its short turning radius and impressive maneuverability are ideal for confined settings. The long list of options include electric siren, red strobe light, second storage compartment, multi-level cot and IV pole. This zero-emission vehicle can also be equipped with top, windshield and roll-up sides for all-weather protection. Fully customizable and brandable.



Utility Vehicles, Custom Vehicles

Other Models : Maintenance Truck, Refuse Hauler

PASSENGERS
3

LOAD CAPACITY
2,400 lbs

TOWING CAPACITY
4,000 lbs


SPEED MPH
10 mph

TURNING RADIUS
120"



FEATURES

- Built-to-last all-steel unibody construction
- Heavy-duty powder paint & protection
- Smooth-ride wheels in multiple models and options
- Heavy-duty braking power
- Inboard / portable high frequency PFC battery charger*



Dimensions

VEHICLE

Height	46"	1,168 mm
Length	n/a	n/a
Width	44"	1,118 mm
Wheel Base	60"	1,524 mm
Ground Clearance	n/a	n/a

DECK

Height	27"	686 mm
Width	44"	1,118 mm
Length	76"	1,930 mm

UNIT WEIGHT

With Batteries	1,400 lbs	635 kg
Without Batteries	n/a	n/a

BATTERIES

Height	n/a	n/a
Length	n/a	n/a
Width	n/a	n/a
Weight - Min	n/a	n/a
Weight - Max	n/a	n/a

Performances

VEHICLE

Passengers	3	
Load Capacity	2,400 lbs	1,089 kg
Tow Capacity	4,000 lbs	1,814 kg
Drawbar Pull - Normal	n/a	n/a
Drawbar Pull - Ultimate	n/a	n/a
Speed MPH	10 mph	16 km/h
Turning Radius	120"	3,048 mm

Vehicle shown may have optional accessories and is provided for illustrative purposes only.
Specifications and standard equipment are subject to change without notice.

Specifications

POWERTRAIN

Motor	10 hp
Controller	Electronic speed controller
Drive Axle	Helical gear differential
Brakes	Rear hydraulic drum brakes, regenerative braking
Wheels	n/a
Transmission	Direct drive
Suspension	Dual leaf springs on front and rear
Starter	n/a
Clutch	n/a
Engine	n/a

ENERGY

Voltage	36 Volt
Battery	Six 6V-225AH batteries
Charger	25 amp, built-in, automatic
Alternator	n/a
Fuel	n/a

CHASSIS

Body	14-G diamond-plate steel body, tubular frame
Color	n/a
Lights	LED dual headlights & tail/brake lights

OPERATOR COMPARTMENT

Steering	Automotive steering wheel
Seats	Two bucket seats on slide adjusters
Indicators	Battery status indicator
Safety	Deadman seat switch, reverse alarm, Horn
Accessories	Bolt-on front Bumper

Standards

Conforms to requirements for type E, UL 583, ANSI B56.9



POPULAR OPTIONS

GET THE IDEAL VEHICLE FOR THE JOB.

With unlimited configurations, we make customization quick, easy and affordable.

Batteries & Chargers

360-028 36V / 12V converter for accessories. Equalize battery cells (included with AC package when applicable)

Cabs & Top Covers

360-047L Full length top, ABS plastic

360-047R Roll-up sides and rear, clear mika (requires options 042R, 046 and 047)

Driver Area Options

360-020 Digital battery gauge with hour meter (included with AC package when applicable)

Equipments

360-092CS STRYKER MX-PRO R3-18 MULTILEVEL COT & FASTENER (includes installation)

Safety Features

360-092P IV pole solution holder

360-026 Pole mounted strobe light

Suspensions

320-039 Dual shock absorbers on front

320-039R Dual shock absorbers on rear

Wheels

360-077 500 x 8 solid soft rubber wheels

The list above shows the most popular options for this vehicle. More options are available. To learn more about the MX - 360 - Ambulance options, please contact your representative. Options, specifications and standard equipment are subject to change without notice.



Martin Jose Del Castillo S.
President

+52 662 210-7808 #104
mj.delcastillo@mmh.com.mx

Mex Material Handling
Los Mayos 13, Parque Industrial
Hermosillo (Sonora)
83299
Mexico



www.motrec.com